

[研究業績]

1. Chiral modification of adamantane. Shibuya, M.; Taniguchi, T.; Takahashi, M.; Ogasawara, K., *Tetrahedron Lett.* **2002**, 43 (23), 4145-4147.
2. Oxidative rearrangement of cyclic tertiary allylic alcohols with IBX in DMSO. Shibuya, M.; Ito, S.; Takahashi, M.; Iwabuchi, Y., *Org. Lett.* **2004**, 6 (23), 4303-4306.
3. An enantio- and diastereocontrolled synthesis of (+)-7deoxy-trans-dihydronarciclasine. Fujimura, T.; Shibuya, M.; Ogasawara, K.; Iwabuchi, Y., *Heterocycles* **2005**, 66, 167-173.
4. Synthesis and biological analysis of new curcumin analogues bearing an enhanced potential for the medicinal treatment of cancer. Ohori, H.; Yamakoshi, H.; Tomizawa, M.; Shibuya, M.; Kakudo, Y.; Takahashi, A.; Takahashi, S.; Kato, S.; Suzuki, T.; Ishioka, C.; Iwabuchi, Y.; Shibata, H., *Mol Cancer Ther* **2006**, 5 (10), 2563-2571.
5. 2-azaadamantane N-oxyl (AZADO) and 1-Me-AZADO: Highly efficient organocatalysts for oxidation of alcohols. Shibuya, M.; Tomizawa, M.; Suzuki, I.; Iwabuchi, Y., *J. Am. Chem. Soc.* **2006**, 128 (26), 8412-8413.
6. Total synthesis of (-)-dihydrocorynantheol using bicyclo[3.2.1]octenone chiral building block. Tosaka, A.; Ito, S.; Miyazawa, N.; Shibuya, M.; Ogasawara, K.; Iwabuchi, Y., *Heterocycles* **2006**, 70, 153-159.
7. Cytoprotective effect of bis(1-oxy-2-pyridinethiolato)oxovanadium(IV) on myocardial ischemia/reperfusion injury elicits inhibition of Fas ligand and Bim expression and elevation of FLIP expression. Bhuiyan, M. S.; Shibuya, M.; Shioda, N.; Moriguchi, S.; Kasahara, J.; Iwabuchi, Y.; Fukunaga, K., *Eur. J. Pharmacol.* **2007**, 571 (2-3), 180-188.
8. Asymmetric total synthesis of martinelline and martinellic acid. Ikeda, S.; Shibuya, M.; Iwabuchi, Y., *Chem. Commun.* **2007**, (5), 504-506.

9. Activation of phosphatidylinositol 3-kinase/protein kinase B pathway by a vanadyl compound mediates its neuroprotective effect in mouse brain ischemia. Shioda, N.; Ishigami, T.; Han, F.; Moriguchi, S.; Shibuya, M.; Iwabuchi, Y.; Fukunaga, K., *Neuroscience* **2007**, *148* (1), 221-229.
10. Activation of Endothelial Nitric Oxide Synthase by a Vanadium Compound Ameliorates Pressure Overload-Induced Cardiac Injury in Ovariectomized Rats. Bhuiyan, M. S.; Shioda, N.; Shibuya, M.; Iwabuchi, Y.; Fukunaga, K., *Hypertension* **2008**, *53* (1), 57-63.
11. Efficient Entry to the Pyrroloquinoline Core of Martinella Alkaloids via Novel Base-catalyzed Mukaiyama-Mannich Reaction. Ikeda, S.; Shibuya, M.; Kanoh, N.; Iwabuchi, Y., *Chem. Lett.* **2008**, *37* (9), 962-963.
12. Chemoenzymatic preparation of functionalized bicyclo[3.2.1]octenone and practical utilization. Ito, S.; Tosaka, A.; Hanada, K.; Shibuya, M.; Ogasawara, K.; Iwabuchi, Y., *Tetrahedron: Asymmetry* **2008**, *19* (2), 176-185.
13. Neuroprotective effect of a vanadium compound and melatonin in MPTP-induced dopaminergic defects in mice. Kasahara, J.; Nagai, T.; Shibuya, M.; Iwabuchi, Y.; Araki, N.; Fukunaga, K., *Neurosci Res* **2008**, *61*, S265-S265.
14. Oxidative rearrangement of tertiary allylic alcohols employing oxoammonium salts. Shibuya, M.; Tomizawa, M.; Iwabuchi, Y., *J. Org. Chem.* **2008**, *73* (12), 4750-4752.
15. TEMPO/NaIO₄-SiO₂: A Catalytic Oxidative Rearrangement of Tertiary Allylic Alcohols to β -Substituted α,β -Unsaturated Ketones. Shibuya, M.; Tomizawa, M.; Iwabuchi, Y., *Org. Lett.* **2008**, *10* (21), 4715-4718.
16. 4'-Demethylnobiletin, a Bioactive Metabolite of Nobiletin Enhancing PKA/ERK/CREB Signaling, Rescues Learning Impairment Associated with NMDA Receptor Antagonism via Stimulation of the ERK Cascade. Al Rahim, M.; Nakajima, A.; Saigusa, D.; Tetsu, N.; Maruyama, Y.; Shibuya, M.; Yamakoshi, H.; Tomioka, Y.; Iwabuchi, Y.; Ohizumi, Y.; Yamakuni, T., *Biochemistry-U.S* **2009**, *48*

(32), 7713-7721.

17. Activation of Endothelial Nitric Oxide Synthase by a Vanadium Compound Ameliorates Pressure Overload-Induced Cardiac Injury in Ovariectomized Rats. Bhuiyan, S.; Shioda, N.; Shibuya, M.; Iwabuchi, Y.; Fukunaga, K., *Hypertension* **2009**, 53 (1), 57-63.
18. Flexible Access to Monoterpenoid Indole Alkaloids Using a Cyclopentanoid Chiral Building Block. Hayashi, M.; Motosawa, K.; Satoh, A.; Shibuya, M.; Ogasawara, K.; Iwabuchi, Y., *Heterocycles* **2009**, 77 (2), 855-863.
19. Synthetic Studies on Daphnicyclidin A: Enantiocontrolled Construction of the BCD Ring System. Ikeda, S.; Shibuya, M.; Kanoh, N.; Iwabuchi, Y., *Org. Lett.* **2009**, 11 (8), 1833-1836.
20. An Expedient Route to a Potent Gastrin/CCK-B Receptor Antagonist (+)-AG-041R. Sato, S.; Shibuya, M.; Kanoh, N.; Iwabuchi, Y., *J. Org. Chem.* **2009**, 74 (19), 7522-7524.
21. Highly enantioselective intramolecular aza-spiroannulation onto indoles using chiral rhodium catalysis: asymmetric entry to the spiro- β -lactam core of chartellines. Sato, S.; Shibuya, M.; Kanoh, N.; Iwabuchi, Y., *Chem. Commun.* **2009**, (41), 6264-6266.
22. Oxoammonium salt/NaClO₂: an expedient, catalytic system for one-pot oxidation of primary alcohols to carboxylic acids with broad substrate applicability. Shibuya, M.; Sato, T.; Tomizawa, M.; Iwabuchi, Y., *Chem. Commun.* **2009**, (13), 1739-1741.
23. An Expeditious Entry to 9-Azabicyclo[3.3.1]nonane N-Oxyl (ABNO): Another Highly Active Organocatalyst for Oxidation of Alcohols. Shibuya, M.; Tomizawa, M.; Sasano, Y.; Iwabuchi, Y., *J. Org. Chem.* **2009**, 74 (12), 4619-4622.
24. Highly Enantioselective Organocatalytic Oxidative Kinetic Resolution of Secondary Alcohols Using Chirally Modified AZADOs. Tomizawa, M.; Shibuya, M.; Iwabuchi, Y., *Org. Lett.* **2009**, 11 (8), 1829-1831.

25. Syntheses of naturally occurring cytotoxic [7.7]paracyclophanes, (-)-cylindrocyclophane A and its enantiomer, and implications for biological activity. Yamakoshi, H.; Ikarashi, F.; Minami, M.; Shibuya, M.; Sugahara, T.; Kanoh, N.; Ohori, H.; Shibata, H.; Iwabuchi, Y., *Org Biomol Chem* **2009**, 7 (18), 3772-3781.
26. An Enantio- and Diastereocontrolled Synthesis of (-)-Salinosporamide A. Iwabuchi, Y.; Sato, Y.; Fukuda, H.; Tomizawa, M.; Masaki, T.; Shibuya, M.; Kanoh, N., *Heterocycles* **2010**, 81 (10), 2239.
27. Syntheses and Biological Evaluation of Irciniastatin A and the C1-C2 Alkyne Analogue. Watanabe, T.; Imaizumi, T.; Chinen, T.; Nagumo, Y.; Shibuya, M.; Usui, T.; Kanoh, N.; Iwabuchi, Y., *Org. Lett.* **2010**, 12 (5), 1040-1043.
28. Irciniastatin A induces JNK activation that is involved in caspase-8-dependent apoptosis via the mitochondrial pathway. Chinen, T.; Nagumo, Y.; Watanabe, T.; Imaizumi, T.; Shibuya, M.; Kataoka, T.; Kanoh, N.; Iwabuchi, Y.; Usui, T., *Toxicol. Lett.* **2010**, 199 (3), 341-346.
29. Total Synthesis and Determination of the Absolute Configuration of (-)-Idesolide. Yamakoshi, H.; Shibuya, M.; Tomizawa, M.; Osada, Y.; Kanoh, N.; Iwabuchi, Y., *Org. Lett.* **2010**, 12 (5), 980-983.
30. 9-Azanoradamantane N-Oxyl (Nor-AZADO): A Highly Active Organocatalyst for Alcohol Oxidation. Hayashi, M.; Sasano, Y.; Nagasawa, S.; Shibuya, M.; Iwabuchi, Y., *Chem. Pharm. Bull.* **2011**, 59 (12), 1570-1573.
31. Highly Efficient, Organocatalytic Aerobic Alcohol Oxidation. Shibuya, M.; Osada, Y.; Sasano, Y.; Tomizawa, M.; Iwabuchi, Y., *J. Am. Chem. Soc.* **2011**, 133 (17), 6497-500.
32. Practical Preparation Methods for Highly Active Azaadamantane-Nitroxyl-Radical-Type Oxidation Catalysts. Shibuya, M.; Sasano, Y.; Tomizawa, M.; Hamada, T.; Kozawa, M.; Nagahama, N.; Iwabuchi, Y., *Synthesis* **2011**, (21), 3418-3425.

33. High-performance liquid chromatography with photodiode array detection for determination of nobiletin content in the brain and serum of mice administrated the natural compound. Yamakuni, T.; Saigusa, D.; Shibuya, M.; Jinno, D.; Yamakoshi, H.; Iwabuchi, Y.; Yokosuka, A.; Mimaki, Y.; Naganuma, A.; Ohizumi, Y.; Tomioka, Y., *Anal Bioanal Chem* **2011**, 400 (10), 3635-3641.
 34. Oxidative Conversion of Silyl Enol Ethers to α,β -Unsaturated Ketones Employing Oxoammonium Salts. Hayashi, M.; Shibuya, M.; Iwabuchi, Y., *Org. Lett.* **2012**, 14 (1), 154-157.
 35. Oxidation of Alcohols to Carbonyl Compounds with Diisopropyl Azodicarboxylate Catalyzed by Nitroxyl Radicals. Hayashi, M.; Shibuya, M.; Iwabuchi, Y., *J. Org. Chem.* **2012**, 77 (6), 3005-3009.
 36. Catalytic Oxidation of Silyl Enol Ethers to 1,2-Diketones Employing Nitroxyl Radicals. Hayashi, M.; Shibuya, M.; Iwabuchi, Y., *Synlett* **2012**, (7), 1025-1030.
 37. Oxidation of nitroxyl radicals: electrochemical and computational studies. Shibuya, M.; Pichierri, F.; Tomizawa, M.; Nagasawa, S.; Suzuki, I.; Iwabuchi, Y., *Tetrahedron Lett.* **2012**, 53 (16), 2070-2073.
1. 濵谷 正俊
キニ一ネ論争、ついに決着！
ファルマシア, 44, 907–908 (2008).
 2. 岩渕 好治, 濵谷 正俊
アルコール酸化プロセスはどこまで進歩したのか?
化学, Vol.62, 70–71 (2007).
 3. 濵谷 正俊
オキソアンモニウム塩の設計に基づく有用酸化反応システムの開発研究
薬学雑誌, Accepted (2012)