


Fukuyama Group - Group Meeting Problems

02/14/2015


solution: Hattori
chair: Toma

1




H. M. L. Davies *et al.*, *Chem. Sci.*, **2**, 2378 (2011)

2



T. N. Barrett and A. G. M. Barrett, *J. Am. Chem. Soc.*, **136**, 17013 (2014)

3




M. Lautens *et al.*, *Org. Synth.*, **85**, 172 (2008)
M. Lautens *et al.*, *J. Am. Chem. Soc.*, **125**, 4028 (2003)

Fukuyama Group - Group Meeting Problems


02/21/2015

1




S. D. Lepore *et al.*, *J. Org. Chem.*, **79**, 9402 (2014)

2



Z. Xi *et al.*, *Angew. Chem. Int. Ed.*, **52**, 3485 (2012)

3




E. M. Carreira *et al.*, *Angew. Chem. Int. Ed.*, **40**, 2694 (2001)

Fukuyama Group - Group Meeting Problems


02/28/2015

1




A. M. Echavarren *et al.*, *Angew. Chem. Int. Ed.*, **53**, 14022 (2014)

2



V. H. Rawal *et al.*, *Org. Lett.*, **2**, 2711 (2000)

3



M. E. Wood *et al.*, *Tetrahedron*, **61**, 2141 (2008)